1 Enough Fuel on Fuel Tank

2

Check Fluid Level for Front & Rear Brakes AND Functioning

Check Top-Up



Recommended products
AGIP BRAKE 4

Brake fluid FMVSS DOT 4 Synthetic fluid








3 Tires Pressure & Wear

Single - Front 26.1 psi -- Rear 33.4 psi Double - Front 29.0 psi -- Rear 40.6 psi




- 4 Functioning Parking Light, Headlamp, Turn Indicators, Stop Light & License Plate Light
- 5 Engine Oil Level Check




Recommended products
AGIP CITY HI TEC 4T Engine oil

SAE 9/V-40 Synthetic oil that exceed the requirements of API SL, ACEA A3, JASO MA specifications



Replace



6 Coolant Level




Recommended products

SPECIAL AGIP PERMANENT fluid

coolant.

Monoethylene glycol-based antifreeze fluid, CUNA NC 956-16






7 Schock Absorber

- 1--Min Driver
- 2--Max Driver
- 3--Min Driver Plus Passanger
- 4--Max Driver Plus Passanger



8 Hub Oil Check






Recommended products
AGIP ROTRA 80W-90 Rear hub oil

SAE 80W/90 Oil that exceeds the requirements of


API GL3 specifications

Replace





9 Air Filter



Recommended products
AGIP FILTER OIL Oil for air filter sponge

Mineral oil with specific additives for increased adhesiveness

10 Fuses



11 Battery



Kit Equipment

